






CERTIFICATE OF ANALYSIS


e-Liquid Emissions Testing

Product Name:	Menthol		
Date:	21/12/2021		
Client ID:	<u>Vape 69</u>		
Client Contact Information:	dean@wilsongeorge.co.uk		
Device Information			
Device:	Innokin Endura T18		
Maximum Output Wattage:	14W		
Coil Resistance:	1.5ohm		
Battery Capacity:	1000mAh		
Method Information			
Device Set-Up Details:	Tank Fill:	2ml	
	Coil Priming Time:	5 Minutes	
Vapour Generation & Derivatisation Details:	Vapour Generation:	1s Activation 50 ml of Vapour 4 Second Intervals.	

	Derivatization:	2 Minute release into DNPH cartridge.	
Analytical Details:	Mobile Phase:	3ml	
	Analytical Equipment:	2ml HPLC Vial Agilent 12260 HPLC System	

2.0 Results:

Table 1.1: Carbonyl Emissions



*When compared to the carbonyl emission results from three leading cigarette brands, tested in an independent, certified laboratory.

Table 1.2: TSNA's (Tobacco Specific Nitrosamines)





Table 1.3: VOC's (Volatile Organic Compounds)



*When compared to the carbonyl emission results from three leading cigarette brands, tested in an independent, certified laboratory.

3.0 Summary

Menthol produces 100% less harmful chemicals than cigarettes.

Note on Reporting Units

Due to the varying amounts of analytes observed, the most appropriate reporting units have been chosen appropriate to each analysis.